

Annual Fire Safety Reports on Student Housing
Muscatine Community College- Nyweide-Scott Building

Reporter Name:			
Housing Manager:	Angie Mullenbach		
Year reported on:	2015		
Date:	07/21/2016	Signature:	<i>Angie Mullenbach</i>

Fire Safety Reporting: <i>fires, injuries and damage</i>			
Circle the number of fires that occurred: (includes stove fires)	1 2 3 4 5 6 7 8	ZERO	
State the cause of each fire reported above:			
Circle the number of injuries related to these fires that resulted in treatment at a medical facility:	1 2 3 4 5 6 7 8	NONE	
Circle the number of deaths related to a fire:	1 2 3 4 5 6 7 8	NONE	
Estimate the value of property damage caused by a fire:	Personal Items: \$ 0		College Property: \$

<p>Fire Safety Reporting: <i>policies, drills, plans for improvement</i></p>	
<p>Describe the policy for mandatory, supervised, fire drills on campus: be sure to include how many drills are required and whether or not the fire department presence is required</p>	<p>Mandatory drills are completed by residents at the start of each semester within the academic year – Two during the fall semester and two during the spring semester. All residents are in attendance and the housing manager is in charge of the programming. Local fire departments are not present at the meetings/drills. Additional education is completed during the move-in period.</p>
<p>Provide a description of measures taken to provide for student housing <i>facility</i> safety: be sure to include a description of sprinkler system-types and locations throughout the building, the number of fire extinguishers and maintenance schedule.</p>	<p>In addition to mandatory fire drills, the Fire Department attends a building meeting to talk about fire safety and demonstrates how to use a fire extinguisher. This program is mandatory for all student housing residents. Covered information: not overloading outlets, power strips, and extension cords, policies regarding lamps and smoking policies. Cause and effect are provided with examples of student housing fires that have happened in previous years. Renter’s insurance information is included with their housing packets to protect their valuables in case of fires.</p> <p>The fire alarm system is a main panel in Nyweide Scott Hall is 120V AC primary power supply, with secondary battery backup. There are eight manual (pull) stations located in the hallways, 31 smoke detectors, and 14 heat detectors located in the ductwork. The fire alarm system is monitored by Per Mar Security. There are three fire extinguishers on each floor in the hallway, for a total of 9 fire extinguishers in the building. Fire extinguishers are located at the end of each hallway and one located in the middle section of each hallway. The fire alarm system was inspected by a local alarm service vendor. The fire sprinkler system is a wet-type standpipe, internal sprinkler, with alarm devises. The system, including the backflow preventer assembly, was inspected by a local sprinkler service vendor.</p> <p>Inspections of the fire sprinkler system are done annually. Maintenance is performed if identified in the annual report. Muscatine Fire Department does an annual walk-through of all facilities.</p> <p>Visual inspections by maintenance and housing manager are completed monthly and an annual inspection is performed by the fire protection vendor. City Inspector came around October 2015 to do city inspections.</p> <p>Additionally, Mike Hartman, Assistant Fire Chief and Dean of Students, Shelly Cram Rahlf, completed a building walk-thru during the summer of 2015 (after MCC reclaimed management of the Nyweide-Scott building).</p>
<p>State the procedures for evacuation and describe policies regarding fire safety education and training program provided to students, faculty and staff</p>	<p>In Nyweide Scott Hall, emergency exit routes are located in each apartment directing students in evacuation situations. There are seven smoke alarms located within each apartment. A smoke alarm is in each bedroom, each vanity, and the living room areas. Each alarm is hardwired and each smoke alarm has secondary battery back-up. Batteries are changed annually or when a low battery is reported. There are nine sprinkler heads in each apartment. Sprinkler heads are located in each bedroom, each vanity area, the living room area, and each hallway. Fire drills are held on a regular semester basis, and campus safety programming is held at the beginning of each semester.</p>
<p>Describe the policies/rules regarding portable electrical appliances, smoking and open flames in student housing facility</p>	<p>Muscatine Community College is a smoke-free, alcohol free, and tobacco free campus. Our policy is as stated: “Due to fire and sanitation hazards, space heater, halogen torchiere lamps, and sun lamps may not be used in apartments. When using electrical appliances, power strips with built-in circuit breakers must be used. The use of extension cords as permanent wiring is not permitted and multi-plugs are not allowed.” In addition, hot plates, space heaters, and candles are not allowed. The use of any open-flamed devises within the building is prohibited. Eastern Iowa Community College policy also states: MCC is a smoking-free campus. Smoking is defined as burning or inhaling of tobacco or other matter that can be smoked or inhaled, or the inhaling of smoke or vapor from an electronic smoking device. Tobacco use, including cigarettes, cigar, pipes and smokeless tobacco, and the use of e-cigarettes are prohibited.</p>
<p>Please state all plans for future improvements in fire safety if determined necessary by the institution</p>	<p>During the 2015 year demonstrations will be provided to both students and housing employees for proper use of fire extinguishers.</p>

Annual Fire Safety Reports on Student Housing
Muscatine Community College - Hansen Hall

Reporter Name:			
Housing Manager:	Cynthia Hampton		
Year reported on:	2015		
Date:	07/12/2016	Signature:	CYNTHIA HAMPTON

Fire Safety Reporting: <i>fires, injuries and damage</i>			
Circle the number of fires that occurred: (includes stove fires)	1 2 3 4 5 6 7 8	ZERO	
State the cause of each fire reported above:			
Circle the number of injuries related to these fires that resulted in treatment at a medical facility:	1 2 3 4 5 6 7 8	NONE	
Circle the number of deaths related to a fire:	1 2 3 4 5 6 7 8	NONE	
Estimate the value of property damage caused by a fire:	Personal Items: \$ 0		College Property: \$

<p>Fire Safety Reporting: <i>policies, drills, plans for improvement</i></p>	
<p>Describe the policy for mandatory, supervised, fire drills on campus: be sure to include how many drills are required and whether or not the fire department presence is required</p>	<p>Mandatory drills are completed by residents each semester within the academic year – Two during the fall semester and two during the spring semester. All residents are in attendance and the housing manager is in charge of the programming. Local fire departments are not present at the meetings/drills. Additional education is completed during the move-in period.</p>
<p>Provide a description of measures taken to provide for student housing <i>facility</i> safety: be sure to include a description of sprinkler system-types and locations throughout the building, the number of fire extinguishers and maintenance schedule</p> <p>Back Flow was tested 02/06/15</p> <p>Fire sprinkler system was tested in 09/2014</p>	<p>In addition to mandatory fire drills, a PowerPoint from the Iowa State Fire Marshal is shown and housing policies are reviewed. This program is mandatory for all student housing residents. Covered information: not overloading outlets, power strips, and extension cords, policies regarding lamps and smoking policies. Cause and effect are provided with examples of student housing fires that have happened in previous years. Renter’s insurance information is included with their housing packets to protect their valuables in case of fires. In addition to verbal communication, there is a section in our housing contract under: Polices and Regulations: Student Housing Code of Conduct, that addresses and not limited to: Flammable Fluids, Toxic Chemicals, Explosives, Hazardous Substances, Tampering with fire equipment, and Failure to comply with safety regulations.</p> <p>The fire alarm system in Nyweide Scott Hall is 120V AC primary power supply, with secondary battery backup. There are eight manual (pull) stations located in the hallways, 31 smoke detectors, and 14 heat detectors located in the ductwork. The fire alarm system is monitored by the Muscatine Fire Department. There are three fire extinguishers on each floor in the hallway, and one in each apartment, for a total of twenty-six fire extinguishers in the building. Fire extinguishers are located at the end of each hallway and one located in the middle section of each hallway. The fire alarm system was inspected by a local alarm service vendor. The fire sprinkler system is a wet-type standpipe, internal sprinkler, with alarm devises. The system, including the backflow preventer assembly, was inspected by a local sprinkler service vendor.</p> <p>The fire alarm system main panel in Hansen Hall is a Siemens FS250. There are eight manual pull stations in the hallways and nine smoke detectors in the hallways. The fire alarm system is monitored by the Muscatine Fire Department. There are three fire extinguishers on each floor and one in each apartment, for a total of 43 fire extinguishers in the building. Fire extinguishers are located at the end of each hallway and one located in the middle section of each hallway. The fire alarm system was inspected August 2012 by a local alarm service vendor. The fire sprinkler system is a wet-type standpipe, internal sprinkler, with alarm devises. The system, including the backflow preventer assembly, was inspected by a local sprinkler service vendor.</p> <p>Inspections of the fire sprinkler system are done annually. Maintenance is performed if identified in the annual report. Muscatine Fire Department does an annual walk-through of all facilities.</p> <p>Visual inspections are completed monthly and an annual inspection is performed by the fire protection vendor.</p>
<p>State the procedures for evacuation and describe policies regarding fire safety education and training program provided to students, faculty and staff</p>	<p>In Nyweide Scott Hall, emergency exit routes are located in each apartment directing students in evacuation situations. There are seven smoke alarms located within each apartment. A smoke alarm is in each bedroom, each vanity, and the living room areas. Each alarm is hardwired and each smoke alarm has secondary battery back-up. Batteries are changed annually or when a low battery is reported. There are nine sprinkler heads in each apartment. Sprinkler heads are located in each bedroom, each vanity area, the living room area, and each hallway. Fire drills are held on a regular semester basis, and campus safety programming is held at the beginning of each semester.</p> <p>In Hansen Hall, emergency exit routes are located in the hallways, directing students in evacuation situations. There are five smoke detectors in a four bedroom unit and three smoke detectors in a two bedroom unit. There are smoke alarms in each bedroom and one in the living room/kitchen area. Each alarm is hardwired and each smoke alarm has secondary battery back-up. Batteries are changed annually or when a low battery is reported. There are eight sprinkler heads in a four bedroom unit and six in a two bedroom unit. Fire drills are held on a regular semester basis, and campus safety programming is held at the beginning of each semester.</p>

Describe the policies/rules regarding portable electrical appliances, smoking and open flames in student housing facility	Muscatine Community College is a smoke-free campus, the campus housing are tobacco free buildings. Our policy is as stated: "Due to fire and sanitation hazards, space heater, halogen torchiere lamps, and sun lamps may not be used in apartments. When using electrical appliances, power strips with built-in circuit breakers must be used. The use of extension cords as permanent wiring is not permitted and multi-plugs are not allowed." In addition, hot plates, space heaters, and candles are not allowed. The use of any open-flamed devises within the building is prohibited.
Please state all plans for future improvements in fire safety if determined necessary by the institution	During the 2014 year demonstrations will be provided to both students and housing employees for proper use of fire extinguishers.